

## Roller Brush



**Number** 9C30 2010  
**Mfr's** IDB-4002  
**Type** - Nylon  
**Price** ฿

## Hard Round Brush

Designed especially for circuit boards and electronics. Unique conductive fibers (Thunderon®) have excellent corona discharge properties.

1/4" Hard, 6" OAL.



**Number** 6J30 4410 **Mfr's** T7752 **Price** ฿

1/8" Hard, 4-1/4" OAL.



**Number** 7J30 4410 **Mfr's** T7720 **Price** ฿

## Dissipative Brushes

With surface resistivity of 105 to 1011, these brushes remove any static charge that will result in the adhesion of particles, such as dust, to an object. 100% Thunderon® bristles a conductive filament dissipates charges on an electrically charged surface. 9-3/4" OAL, 1/4" width, 1-1/4" trim.



**Number** 7J47 4110 **Price** ฿

100% Thunderon® bristles a conductive filament dissipates charges on an electrically charged surface. 4" OAL, 1/4" width, 1-1/4" trim.



**Number** 7J47 4111 **Price** ฿

## Hard Static Brush



**Number** 9C30 4410  
**Mfr's** IDB-4002  
**Type** - Nylon  
**Price** ฿

Curved, conductive plastic brush for delicate cleaning and scrubbing of boards and more. 4" OAL.

## Insulative Instrument Cleaning Brushes

- ▶ Bristle width : 5/16"
- ▶ Bristle trim length : 3/16"
- ▶ Diameter : 1/4"
- ▶ Handle length : 6" Straight
- ▶ Bristle material : Nylon



Designed for cleaning in tight areas, the brushes fiber is mechanically clamped in a stainless steel tube, which is inserted into a Delrin handle.

Bristle material is either nylon or stainless steel. (USA)  
 Use : Clean tight areas including instrumentation.

Number	Price ฿	Mfr's	Bristle Material	Handle Length
77H4 5410	—	758CH906	Nylon	6" Straight
77H4 5411	—	758CH907	Stainless Steel	6" Straight
77H4 5412	—	758CH908	Stainless Steel	5-1/4" Bent
77H4 5413	—	758CH909	Nylon	5-1/4" Bent

## Plastic Handle All - Purpose Brushes



Toothbrush style with a 7" handle that tapers from 7/16" to 3/16", with a brush on each end. Used for cleaning small parts and guns.

Number	Price ฿	Fill Material	Trim	Rows
63K1 1091	—	.012 Nylon	7/16" (With Notch)	3 x 12
63K1 1092	—	.012 Nylon	1/4" (Tapered End)	1 x 7